

BLACKOUT STANDARD

SUNX




ROLLER SHADES


TECHNICAL SHEET



SUNX  
ROLLER SHADES

## COLOR WAYS





## PRODUCT DESCRIPTION

### ADVANTAGES OF OUR FABRICS

- 100% recyclable and recycled fabrics.
- Metallized fabrics by means of evaporation, at high aluminum vacuum.
- Better vision of the exterior
- Decrease in contrasts.
- Reduction of solar radiation.
- Maintains room temperature indoors by decreasing heat input.
- For facades with large windows, the temperature does not vary in crystals.
- Savings in electricity (air conditioning, and heating) = reeturn on investment.
- Reduction of CO<sup>2</sup> emissions.

### WARRANTY

- 10 years warranty on mechanisms.
- 10 years of cloth guarantees.
- 10 years warranty on engines.

The blinds are manufactured with European and American fabrics that comply with all production and marketing standards of the country of origin, so it is considered that they approved the most demanding standards worldwide.

## TECHNICAL DESCRIPTION

• <b>COMPOSITION</b>	-----	<b>22% FIBERGLASS - 78%PVC</b>
• <b>THICKNESS</b>	-----	<b>0.50 mm +- 5%</b>
• <b>WEIGHT PER m<sup>2</sup></b>	-----	<b>290 g/ m<sup>2</sup></b>
• <b>OPENESS FACTOR</b>	-----	<b>BLACKOUT</b>
• <b>WIDTH</b>	-----	<b>250 /300 cm</b>

The mentioned fabrics meet the special of the OEK TEX 100 STANDARD, which ensures that our fabrics are suitable for interiors and free of any odor.

The effects of this product warranty cover refer to discoloration, defects in workmanship, and material deformations involving normal use exposure to environmental conditions unrelated to the installation of such aspects.



