

SCREEN 3%

SUNX








ROLLER SHADES

TECHNICAL SHEET



SUNX
ROLLER SHADES

COLOR WAYS



PRODUCT DESCRIPTION

ADVANTAGES OF OUR FABRICS

- Better vision of the exterior.
- Control of glare.
- Decrease in contrasts.
- Reduction of solar radiation.
- Maintains room temperature indoors by decreasing heat input.
- For facades with large windows, the temperature does not vary in crystals.
- Saving in electricity (air conditioning, and heating) = reeturn on investment.
- Reduction of CO² emissions.

WARRANTY

- 10 years warranty on mechanisms.
- 10 years of cloth guarantees.
- 10 years warranty on engines.

The blinds are manufactured with European and American fabrics that comply with all production and marketing standards of the country of origin, so it is considered that they approved the most demanding standards worldwide.

TECHNICAL DESCRIPTION

- **COMPOSITION** ----- **30% polyester 70% PVC**
- **THICKNESS** ----- **0.75 mm +- 5%**
- **WEIGHT PER m²** ----- **520 g/ m² +- 35%**

The mentioned fabrics meet the special of the OEK TEX 100 STANDARD, which ensures that our fabrics are suitable for interiors and free of any odor.

The effects of this product warranty cover refer to discoloration, defects in workmanship, and material deformations involving normal use exposure to environmental conditions unrelated to the installation of such aspects.

